

NHATS Round 7 Dried Blood Spot (DBS) Crosswalk

Data Items & Assay Type	SP Public File	Restricted (R) or Sensitive (S) Variable	Variable name	Variable label
	X	S	spid	NHATS SAMPLED PERSON ID
	X	S	r7dresid	R7 D RESIDENTIAL CARE STATUS
BC2 Derived Variable	X	S	bc7dconsent	R7 D BC2 SP CONSENT BLOOD SPOT COLLECTION
		S	db7danyassay	R7 D DBS ANY ASSAY RESULT OBTAINED
		S	db7dnumcards	R7 D DBS NUMBER OF DBS CARDS OBTAINED
		S	db7card1mt	R7 DBS MONTH DBS CARD 1 OBTAINED
		S	db7card2mt	R7 DBS MONTH DBS CARD 2 OBTAINED
IL6		S	db7directil6	R7 DBS DIRECT IL6 ANALYTE CONCENTRATION FROM DBS
IL6		S	db7peil6	R7 DBS PLASMA-EQUIVALENT IL6 ANALYTE CONCENTRATION
IL6		S	db7dfillil6	R7 D DBS VALUES ASSIGNED IL6
IL6		S	db7cardrdil6	R7 DBS CARD USED FOR ASSAY IL6
IL6		S	db7readtmtil6	R7 DBS READ DATE MONTH IL6
IL6		S	db7readtyril6	R7 DBS READ DATE YEAR IL6
A1C		S	db7directa1c	R7 DBS DIRECT A1C ANALYTE CONCENTRATION FROM DBS
A1C		S	db7pea1c	R7 DBS PLASMA-EQUIVALENT A1C ANALYTE CONCENTRATION
A1C		S	db7cardrda1c	R7 DBS CARD USED FOR ASSAY A1C
A1C		S	db7readtmta1c	R7 DBS READ DATE MONTH A1C
A1C		S	db7readtyra1c	R7 DBS READ DATE YEAR A1C
A1C		S	db7dbatcha1c	R7 D DBS BATCH 1 OR 2 A1C
CMV		S	db7directcmv	R7 DBS DIRECT CMV ANALYTE CONCENTRATION FROM DBS
CMV		S	db7pecmv	R7 DBS PLASMA-EQUIVALENT CMV ANALYTE CONCENTRATION
CMV		S	db7cardrdcmv	R7 DBS CARD USED FOR ASSAY CMV
CMV		S	db7readtmtcmv	R7 DBS READ DATE MONTH CMV
CMV		S	db7readtyrcmv	R7 DBS READ DATE YEAR CMV
hsCRP		S	db7directhscrp	R7 DBS DIRECT HSCRP ANALYTE CONCENTRATION FROM DBS
hsCRP		S	db7pehscrp	R7 DBS PLASMA-EQUIVALENT HSCRP ANALYTE CONCENTRATION
hsCRP		S	db7cardrdhscrp	R7 DBS CARD USED FOR ASSAY HSCRP
hsCRP		S	db7readtmthscrp	R7 DBS READ DATE MONTH HSCRP
hsCRP		S	db7readtyrhscrp	R7 DBS READ DATE YEAR HSCRP
IL6		S	db7rnoteil6	R7 DBS RESULT NOTE IL6

NHATS Round 7 Dried Blood Spot (DBS) Crosswalk

Data Items & Assay Type	SP Public File	Restricted (R) or Sensitive (S) Variable	Variable name	Variable label
IL6		S	db7anoteil6	R7 DBS ASSAY NOTE IL6
IL6		S	db7blankil6	R7 DBS BLANK PUNCH IL6
IL6		S	db7mdropsil6	R7 DBS MULTIPLE DROPS IN DBS CIRCLE IL6
IL6		S	db7smearil6	R7 DBS SMEARED DROPS IL6
IL6		S	db7smallil6	R7 DBS SMALL SPOT, <80% IL6
IL6		S	db7notcircil6	R7 DBS NON-CIRCULAR DBS IL6
IL6		S	db7overlapil6	R7 DBS OVERLAPPING BLOOD SPOTS IL6
IL6		S	db7contamil6	R7 DBS CONTAMINATED SAMPLE IL6
IL6		S	db7abcoloril6	R7 DBS ABNORMAL COLOR IL6
IL6		S	db7qualityil6	R7 DBS DOES NOT MEET QUALITY CRITERIA IL6
IL6		S	db7outsideil6	R7 DBS DROP OUTSIDE PRINTED CIRCLE IL6
IL6		S	db7noremil6	R7 DBS NO DBS REMAINS IL6
A1C		S	db7rnotea1c	R7 DBS RESULT NOTE A1C
A1C		S	db7intpeaka1c	R7 DBS INTERFERING PEAK A1C, NO RESULT
A1C		S	db7nopeaka1c	R7 DBS NO A1C PEAK, NO RESULT
A1C		S	db7adjusta1c	R7 DBS %HBA1C ADJUSTED DUE TO FALSE LOW LEVEL OF HBS
A1C		S	db7badinta1c	R7 DBS BAD CHROMATOGRAM INTEGRATION >1.8MIN A1C
A1C		S	db7smareaa1c	R7 DBS BAD CHROMATOGRAM AREA <1.5M A1C, NO RESULT
A1C		S	db7aberranta1c	R7 DBS BAD CHROMAT ABERRANT A1C INTEGRATION, NO RESULT
A1C		S	db7rampinga1c	R7 DBS RAMPING BASELINE A1C
A1C		S	db7instrmnta1c	R7 DBS HPLC INSTRUMENT ERROR A1C, NO RESULT
A1C		S	db7nonhgvara1c	R7 DBS NON-A HEMOGLOBIN VARIANT >60% A1C, NO RESULT
A1C		S	db7blanka1c	R7 DBS BLANK PUNCH A1C
A1C		S	db7mdropsa1c	R7 DBS MULTIPLE DROPS IN DBS CIRCLE A1C
A1C		S	db7smeara1c	R7 DBS SMEARED DROPS A1C
A1C		S	db7smalla1c	R7 DBS SMALL SPOT, <80% A1C
A1C		S	db7notcirca1c	R7 DBS NON-CIRCULAR DBS A1C
A1C		S	db7overlapa1c	R7 DBS OVERLAPPING BLOOD SPOTS A1C
A1C		S	db7damagea1c	R7 DBS PHYSICAL DAMAGE TO SAMPLE A1C
A1C		S	db7abcolora1c	R7 DBS ABNORMAL COLOR A1C

NHATS Round 7 Dried Blood Spot (DBS) Crosswalk

Data Items & Assay Type	SP Public File	Restricted (R) or Sensitive (S) Variable	Variable name	Variable label
A1C		S	db57qualitya1c	R7 DBS DOES NOT MEET QUALITY CRITERIA A1C, NO RESULT
A1C		S	db57outsidea1c	R7 DBS DROP OUTSIDE PRINTED CIRCLE A1C
A1C		S	db57norema1c	R7 DBS NO DBS REMAINS A1C
CMV		S	db57rnotecmv	R7 DBS RESULT NOTE CMV
CMV		S	db57anotecmv	R7 DBS ASSAY NOTE CMV
CMV		S	db57blankcmv	R7 DBS BLANK PUNCH CMV
CMV		S	db57mdropscmv	R7 DBS MULTIPLE DROPS IN DBS CIRCLE CMV
CMV		S	db57smearcmv	R7 DBS SMEARED DROPS CMV
CMV		S	db57smallcmv	R7 DBS SMALL SPOT, <80% CMV
CMV		S	db57notcirccmv	R7 DBS NON-CIRCULAR DBS CMV
CMV		S	db57overlapcmv	R7 DBS OVERLAPPING BLOOD SPOTS CMV
CMV		S	db57damagecmv	R7 DBS PHYSICAL DAMAGE TO SAMPLE CMV
CMV		S	db57abcolorcmv	R7 DBS ABNORMAL COLOR CMV
CMV		S	db57qualitycmv	R7 DBS DOES NOT MEET QUALITY CRITERIA CMV
CMV		S	db57outsidecmv	R7 DBS DROP OUTSIDE PRINTED CIRCLE CMV
CMV		S	db57noremcmv	R7 DBS NO DBS REMAINS CMV
hsCRP		S	db57rnotehscrp	R7 DBS RESULT NOTE HSCRP
hsCRP		S	db57anotehscrp	R7 DBS ASSAY NOTE HSCRP
hsCRP		S	db57blankhscrp	R7 DBS BLANK PUNCH HSCRP
hsCRP		S	db57mdropshscrp	R7 DBS MULTIPLE DROPS IN DBS CIRCLE HSCRP
hsCRP		S	db57smearhscrp	R7 DBS SMEARED DROPS HSCRP
hsCRP		S	db57smallhscrp	R7 DBS SMALL SPOT, <80% HSCRP
hsCRP		S	db57notcirchscrp	R7 DBS NON-CIRCULAR DBS HSCRP
hsCRP		S	db57overlaphscrp	R7 DBS OVERLAPPING BLOOD SPOTS HSCRP
hsCRP		S	db57damagehscrp	R7 DBS PHYSICAL DAMAGE TO SAMPLE HSCRP
hsCRP		S	db57abcolorhscrp	R7 DBS ABNORMAL COLOR HSCRP
hsCRP		S	db57qualityhscrp	R7 DBS DOES NOT MEET QUALITY CRITERIA HSCRP
hsCRP		S	db57outsidehscrp	R7 DBS DROP OUTSIDE PRINTED CIRCLE HSCRP
hsCRP		S	db57noremhscrp	R7 DBS NO DBS REMAINS HSCRP
DBS weights		S	w7varstrat	R7 VARIANCE ESTIMATION STRATUM

NHATS Round 7 Dried Blood Spot (DBS) Crosswalk

Data Items & Assay Type	SP Public File	Restricted (R) or Sensitive (S) Variable	Variable name	Variable label
DBS weights		S	w7varunit	R7 VARIANCE ESTIMATION CLUSTER
DBS weights		S	w7dbsfinwgt0	R7 DBS FINAL WGT FULL SAMP
DBS weights		S	w7dbsfinwgt1	R7 DBS FINAL WGT REP 1
DBS weights		S	w7dbsfinwgt2	R7 DBS FINAL WGT REP 2
DBS weights		S	w7dbsfinwgt3	R7 DBS FINAL WGT REP 3
DBS weights		S	w7dbsfinwgt4	R7 DBS FINAL WGT REP 4
DBS weights		S	w7dbsfinwgt5	R7 DBS FINAL WGT REP 5
DBS weights		S	w7dbsfinwgt6	R7 DBS FINAL WGT REP 6
DBS weights		S	w7dbsfinwgt7	R7 DBS FINAL WGT REP 7
DBS weights		S	w7dbsfinwgt8	R7 DBS FINAL WGT REP 8
DBS weights		S	w7dbsfinwgt9	R7 DBS FINAL WGT REP 9
DBS weights		S	w7dbsfinwgt10	R7 DBS FINAL WGT REP 10
DBS weights		S	w7dbsfinwgt11	R7 DBS FINAL WGT REP 11
DBS weights		S	w7dbsfinwgt12	R7 DBS FINAL WGT REP 12
DBS weights		S	w7dbsfinwgt13	R7 DBS FINAL WGT REP 13
DBS weights		S	w7dbsfinwgt14	R7 DBS FINAL WGT REP 14
DBS weights		S	w7dbsfinwgt15	R7 DBS FINAL WGT REP 15
DBS weights		S	w7dbsfinwgt16	R7 DBS FINAL WGT REP 16
DBS weights		S	w7dbsfinwgt17	R7 DBS FINAL WGT REP 17
DBS weights		S	w7dbsfinwgt18	R7 DBS FINAL WGT REP 18
DBS weights		S	w7dbsfinwgt19	R7 DBS FINAL WGT REP 19
DBS weights		S	w7dbsfinwgt20	R7 DBS FINAL WGT REP 20
DBS weights		S	w7dbsfinwgt21	R7 DBS FINAL WGT REP 21
DBS weights		S	w7dbsfinwgt22	R7 DBS FINAL WGT REP 22
DBS weights		S	w7dbsfinwgt23	R7 DBS FINAL WGT REP 23
DBS weights		S	w7dbsfinwgt24	R7 DBS FINAL WGT REP 24
DBS weights		S	w7dbsfinwgt25	R7 DBS FINAL WGT REP 25
DBS weights		S	w7dbsfinwgt26	R7 DBS FINAL WGT REP 26
DBS weights		S	w7dbsfinwgt27	R7 DBS FINAL WGT REP 27
DBS weights		S	w7dbsfinwgt28	R7 DBS FINAL WGT REP 28

NHATS Round 7 Dried Blood Spot (DBS) Crosswalk

Data Items & Assay Type	SP Public File	Restricted (R) or Sensitive (S) Variable	Variable name	Variable label
DBS weights		S	w7dbsfinwgt29	R7 DBS FINAL WGT REP 29
DBS weights		S	w7dbsfinwgt30	R7 DBS FINAL WGT REP 30
DBS weights		S	w7dbsfinwgt31	R7 DBS FINAL WGT REP 31
DBS weights		S	w7dbsfinwgt32	R7 DBS FINAL WGT REP 32
DBS weights		S	w7dbsfinwgt33	R7 DBS FINAL WGT REP 33
DBS weights		S	w7dbsfinwgt34	R7 DBS FINAL WGT REP 34
DBS weights		S	w7dbsfinwgt35	R7 DBS FINAL WGT REP 35
DBS weights		S	w7dbsfinwgt36	R7 DBS FINAL WGT REP 36
DBS weights		S	w7dbsfinwgt37	R7 DBS FINAL WGT REP 37
DBS weights		S	w7dbsfinwgt38	R7 DBS FINAL WGT REP 38
DBS weights		S	w7dbsfinwgt39	R7 DBS FINAL WGT REP 39
DBS weights		S	w7dbsfinwgt40	R7 DBS FINAL WGT REP 40
DBS weights		S	w7dbsfinwgt41	R7 DBS FINAL WGT REP 41
DBS weights		S	w7dbsfinwgt42	R7 DBS FINAL WGT REP 42
DBS weights		S	w7dbsfinwgt43	R7 DBS FINAL WGT REP 43
DBS weights		S	w7dbsfinwgt44	R7 DBS FINAL WGT REP 44
DBS weights		S	w7dbsfinwgt45	R7 DBS FINAL WGT REP 45
DBS weights		S	w7dbsfinwgt46	R7 DBS FINAL WGT REP 46
DBS weights		S	w7dbsfinwgt47	R7 DBS FINAL WGT REP 47
DBS weights		S	w7dbsfinwgt48	R7 DBS FINAL WGT REP 48
DBS weights		S	w7dbsfinwgt49	R7 DBS FINAL WGT REP 49
DBS weights		S	w7dbsfinwgt50	R7 DBS FINAL WGT REP 50
DBS weights		S	w7dbsfinwgt51	R7 DBS FINAL WGT REP 51
DBS weights		S	w7dbsfinwgt52	R7 DBS FINAL WGT REP 52
DBS weights		S	w7dbsfinwgt53	R7 DBS FINAL WGT REP 53
DBS weights		S	w7dbsfinwgt54	R7 DBS FINAL WGT REP 54
DBS weights		S	w7dbsfinwgt55	R7 DBS FINAL WGT REP 55
DBS weights		S	w7dbsfinwgt56	R7 DBS FINAL WGT REP 56